



## NATURAL LIMESTONE M4 Class Mortar within 1km of a coastline or within 100m of an estuary



	C	L	S (mix ratios by volume)	
Mix Ratio For Facing Mortar M4	1	0.5	4.5	Brightonlite & Marvelime or Swan Grey & Marvelime
Mix Ratio for Bedding Mortar M2	1	2	9	Brightonlite & Marvelime or Swan Grey & Marvelime

Note: Only use clean damp bricklaying sand. Final mortar colour will depend on mix ratio and the sand colour.

## NATURAL LIMESTONE M3 Class Mortar 1km to 10km from coast



	C	L	S (mix ratios by volume)	
Mix Ratio For Facing Mortar M3	1	1	6	Brightonlite & Marvelime or Swan Grey & Marvelime or 50/50 Cream (already contains lime)
Mix Ratio for Bedding Mortar M2	1	2	9	Brightonlite & Marvelime or Swan Grey & Marvelime

Note: Only use clean damp bricklaying sand. Final mortar colour will depend on mix ratio and the sand colour.